

Climate-Related Risk Playbook for Building Owners

Apartment Buildings

CO₂

TABLE OF CONTENTS

Opening Message	3
About This Playbook	4
INTRODUCTION	5
Climate-Related Risk Overview	5
Climate-Related Risk Management	6
Transition Risk – The Policy Landscape	7
Transition Risk Fundamentals	8
Physical Risk Fundamentals	9
Addressing Climate-Related Risk	10
FINANCIALS	11
Investment Strategy	11
Total Returns	12
Net Operating Income	13
Capital Expenditures (CapEx)	14
Asset Value	15
TECHNOLOGY & OPERATIONS	16
Transition Risk – Carbon Transition Plans	16
Transition Risk – Balance Priorities: Case Study 1	18
Transition Risk – Regional Electricity Grids	20
Transition Risk – Electricity Grids: Case Study 2	21
Transition Risk – Break-Even Analysis: Case Study 3	25
Transition Risk – Decision-Making	26
Physical Risk – Planning	27
Physical Risk – Decision-Making	29
GLOSSARY OF TERMS	30



Opening Message

Canada's purpose-built apartment building sector is supported by strong long-term demand drivers, including chronic housing undersupply, population growth, and a widening affordability gap between renting and homeownership. For institutional owners, the asset class offers stable demand, defensive income characteristics, and long-duration cash flow across major urban markets.

Understanding climate-related risks is essential for Canada's institutional apartment building owners in this environment - to remain competitive, protect tenants and minimize compliance costs for emerging regulations.

Apartment buildings differ from other income-producing asset classes in ways that can complicate energy-efficiency and decarbonization efforts, particularly in older stock. They are typically operated under gross leases, with limited ability to charge back in-suite utilities and permanent, load-bearing demising walls can constrain retrofit options. In apartment buildings, key services - water, drainage, electrical, and sometimes hot water - are often vertically distributed through suites rather than concentrated in a central core. By contrast, many newer buildings are designed with single metered utility service to each suite. While tenant control thermostats and plug loads can limit an owner's control over in-suite consumption, they can still influence emissions where heating and cooling are produced by a central plant through equipment upgrades, controls and operating strategies.

Governments at all levels are advancing requirements for building efficiency, resilience, and emissions reduction. These shifts, a growing demand for low-carbon, resilient buildings, and more frequent extreme weather are affecting property performance, capital needs, insurance costs, and long-term value. Protecting tenants and preserving durable cash flows will increasingly depend on proactive climate-related risk assessment and prudent action.

Initiatives aimed at improving building efficiency and reducing greenhouse gas emissions may require significant capital investment, making retrofit sequencing and long-term capital planning essential to preserving returns. In addition, insurance is increasingly reflecting climate exposure through rising premiums, tighter underwriting, and potential coverage constraints. These impacts can affect tenants, disrupt cash flow, and affect investor returns and the competitiveness of assets.

This playbook is intended to help apartment asset and investment managers understand, plan for, and manage climate-related risks across their portfolios.

We hope you find it a useful introductory resource as you navigate this important, fast-changing space.

Michael Brooks

CEO,
REALPAC

Thomas Mueller

President & CEO
Canada Green Building Council

About This Playbook

Purpose

This playbook is intended to help apartment owners (particularly asset and investment managers) understand, plan for, and manage climate-related risks across their portfolios. These climate-related risks include not only physical risks from extreme weather events but also transition risks from regulatory and market changes that can affect financial performance.

REALPAC developed this playbook in collaboration with its members, the Canada Green Building Council (CAGBC) and JLL Canada, with support from Natural Resources Canada's Codes Acceleration Fund.

NOTE: CAGBC's Low-Carbon Transition Planning Guide is a distinct but complementary resource (also supported by NRCAN's Codes Acceleration Fund) that provides a staged, step-by-step "how-to" process for practitioners to develop and implement a carbon transition plan, including team roles, technical analysis, and implementation steps.

Context

Multi-residential building owners in Canada are impacted by the following:

- The National Energy Code for Buildings (NECB) and emerging regional high-performance building regulations and programs (e.g., provincial and municipal Building Performance Standards) that drive emission reductions from apartment buildings.
- New energy and emission reduction technologies that support building emission reductions from apartment buildings.
- Flooding, extreme heat, wildfires and windstorms.
- Sophisticated investors who are increasingly interested in understanding the risks and opportunities climate change presents to their buildings and portfolios.

Apartment buildings across Canada come in many forms. The extent to which they may be prepared for climate-related risks and opportunities varies based on a range of factors, including:

- Original Building Design & Equipment
- Building Age & Condition
- Investor(s) Profile & Investment Timeline
- Building Occupancy & Rents
- Building OpEx Costs
- Building Energy Performance (EUI)
- Building GHG Emissions Performance (GHGI)
- Carbon Intensity of the Regional Utility Grid
- Regional Physical Climate Risks
- Building CapEx Plans

Overview

The **Introduction** section provides an overview of climate-related risk fundamentals, a snapshot of current regulations, and an outline of considerations when proactively addressing climate-related risks at the portfolio vs asset level.

The **Financials** section presents climate-related risks through the lens of asset and investment managers, considering investment strategies, total returns, net operating income, capital expenditures and asset value.

The **Technology & Operations** section outlines the carbon transition planning process, the prioritization of emission reduction measures, regional electricity grid considerations, and carbon transition decision-making. This section also outlines the planning and decision-making process around physical risks.

INTRODUCTION

Climate-Related Risk Overview

The impacts of climate change on people and businesses are impossible to ignore. Climate-related risks refer to the potential negative effects of climate change on an entity. The Task Force on Climate-related Financial Disclosures (TCFD) identified two main types of risks:

PHYSICAL RISK

Physical risk is the risk of building damage and negative impact on tenants due to climate-related factors. Physical risk can be short-term (acute), such as damage from extreme storms, or longer-term (chronic), including threats from rising sea levels or increased temperatures.

- **Adaptation** refers to actions taken to proactively address the safety and comfort of tenants and reduce physical risk.

TRANSITION RISK

Transition risk is the risk of building obsolescence due to the shift to a low-carbon economy. Transition risks can result from factors such as changes in the regulatory landscape, reduced resource availability, increased insurance costs, potentially higher taxes and fines, and reputational and market shifts.

- **Mitigation** refers to actions taken to reduce greenhouse gas emissions and reduce transition risk.



KEY TAKE-AWAY

The changing climate presents both challenges and opportunities that may materially affect tenants and alter the risk-return profile of real estate organizations. The fundamental challenge for apartment asset and investment managers is to systematically identify, assess, and manage these risks.

Climate-Related Risk Management


Climate-related risk management has emerged as a critical business imperative.

Commercial real estate owners need to consider shifting expectations of their tenants around GHG emissions and be proactive around ensuring their safety and comfort.

Commercial real estate owners also face increasing pressure from investors, lenders, and stakeholders to understand and report on their exposure to climate change impacts.

The framework below illustrates how climate-related issues translate into financial consequences.

Figure 1 Climate-Related Risks, Opportunities & Financial Impact¹



Climate-related risks and opportunities flow through an organization's strategic planning and risk management processes to ultimately impact their financials: income, cash flow, and balance sheet. These impacts flow through to all the critical financial streams in the business: revenues, expenditures, assets & liabilities, and capital & financing.

As regulations evolve, staying ahead of new regulations can increase competitiveness and reduce the potential for penalties.

¹ Source: Recommendations of the TCFD Final Report; <https://assets.bbhub.io/company/sites/60/2021/10/FINAL-2017-TCFD-Report.pdf>

KEY TAKE-AWAY

Climate-related risk factors can significantly impact real estate financials through increased capital and operating expenditures, potential asset value impairment and regulatory penalties. Proactive decision-making to implement mitigation and adaptation measures strongly aligns with tenant needs and may offer competitive advantages and asset longevity.

Transition Risk – The Policy Landscape

Federal, provincial and municipal policies around climate change continue to evolve.

Understanding and responding to decarbonization policy signals can become a strategic advantage for forward-thinking apartment owners.

The 2025 updates for the National Energy Code of Canada for Buildings (NECB) and National Building Code of Canada (NBC) include additional energy efficiency requirements and greenhouse gas emissions considerations applicable to the alterations of existing buildings. This and other relevant policies impacting transition risk are provided below.

Name	Mandatory/Voluntary	Benchmarking	Reporting	Performance
NATIONAL				
National Energy Code of Canada for Buildings (NECB) National Building Code of Canada (NBC)	Mandatory (after adoption by provinces)			Y
PROVINCIAL				
Building Benchmark BC	Voluntary	Y		
Ontario Energy and Water Reporting and Benchmarking	Mandatory	Y	Y	
Quebec Law on the Environmental Performance of Buildings	Mandatory (regulations in development)	Y	Y	Y
Efficiency Nova Scotia Energy Benchmarking	Voluntary	Y		
MUNICIPAL				
Energize Vancouver - City of Vancouver Annual GHG and Energy Limits Bylaw	Mandatory		Y	Y
City of Edmonton Building Energy Benchmarking Program	Voluntary	Y		
City of Calgary Benchmark YYC	Voluntary	Y		
Transform TO Net Zero Strategy	Both mandatory and voluntary components	Y	Y	Y
City of Toronto Net Zero Existing Buildings Strategy	Both mandatory and voluntary components	Y	Y	Y
City of Toronto Building Emissions Performance Standards	Voluntary (in development)			Y
Montréal Roadmap for Zero-Emissions Buildings by 2040	Mandatory	Y	Y	Y
Montréal By-law, concerning GHG emission disclosures and ratings of large buildings	Mandatory	Y	Y	


NOTE: A detailed scan of codes, standards and programs is also available on transitionplanningnow.ca.

KEY TAKE-AWAY

Climate change policies at the federal, provincial, and municipal levels are evolving, increasing transition risk for apartment owners. Emerging policies include stronger energy-efficiency requirements in the 2025 National Model Code and National Energy Code, as well as mandatory building performance reporting in Ontario, Vancouver, and Montréal. Proactive investment in decarbonization can help buildings meet future requirements, reduce long-term operating costs and emissions, and protect or enhance returns.

Transition Risk Fundamentals

A fundamental starting point for managing transition risk is to identify an asset's Business-as-Usual (BAU) emissions pathway and then compare it to a Low Carbon Transition Pathway, as shown below.



The BAU scenario includes energy efficiency measures and “like-for-like” equipment replacements. Some carbon emission reductions are achieved through energy efficiency.

A Low Carbon Transition Pathway includes site-specific emission reductions based on measures prioritized to achieve an organization’s internal financial and carbon-emission reduction targets. These measures are typically outlined in a Carbon Transition Plan (CTP).

Another emission reduction pathway that may be considered is a Paris Aligned Pathway (such as CRREM), which is a science-based, time-bound trajectory for reducing greenhouse gas emissions, consistent with the Paris Agreement goal of limiting global warming to well below 2°C, with efforts to limit warming to 1.5°C. This goal also forms the backbone of Canadian legislation to achieve net zero emissions by 2050 and informs efforts to develop and update building performance standards and codes.

Apartment asset and investment managers need to consider different emissions pathways when planning for their assets.

KEY TAKE-AWAY

A practical first step in managing transition risk is to establish an asset’s expected emissions trajectory under a business-as-usual approach, then compare it to more ambitious pathways. This enables owners to assess the scale of emissions reductions required and to plan targeted measures to meet financial and decarbonization objectives.

Physical Risk Fundamentals

Commercial real estate owners should assess their properties’ exposure to physical climate risks in the context of their broader asset management strategy.

Physical Risk Management includes (1) identifying which physical climate risks are insurable/uninsurable and have the highest probability of impacting value; and (2) implementing financially prudent measures to mitigate the identified physical climate risks.

The top physical climate risks for commercial real estate assets and portfolios across Canada are outlined below:²

			
Flood	Wildfire	Extreme Heat	Windstorm
Major or minor flooding can lead to property damage, disruption to tenants, damage to critical equipment, and loss of life. Flooding types include coastal, river (fluvial) and rain (pluvial).	Wildfires can cause property damage, disruption to tenants, and loss of life. Properties may face direct fire risk and/or indirect effects like smoke exposure.	Extreme heat can affect building water supply, cause equipment failures, and adversely affect tenants who lack access to cooling, including potential loss of life.	High winds can loosen the perimeter flashing of the roofs, leading to roof detachment or “peel off”. Windborne debris can shatter windows. High winds increase the probability of water entering the building.

The assessment of physical climate risks is evolving beyond hazard identification toward understanding financial impacts on asset values, insurance costs, and capital planning. Despite uncertainty and variability across models, sufficient data exists to support more proactive, portfolio-level risk assessment and integration into decision-making.

NOTE: Planning for physical risk is now becoming part of the regulatory landscape; the 2025 update to the National Model Building Code now includes climatic data to help buildings prepare for shifts in extreme weather over the next 50 years.


² Source: REALPAC ESG Explainer: Physical Risk. <https://realpac.ca/product/esg-explainer-physical-risk/>

KEY TAKE-AWAY

Managing physical climate risk requires real estate owners to move beyond identifying site-level hazards toward understanding their financial implications for asset values, insurance, and capital planning. By assessing exposure to key risks such as flooding, wildfire, extreme heat, and wind, and implementing financially prudent mitigation measures, owners can integrate physical risk management into broader portfolio and investment decision-making

Addressing Climate-Related Risk

A range of key factors impact transition and physical climate risks at both a portfolio (top-down) and asset (bottom-up) level for apartment buildings.



Examples of how these factors might impact an asset or investment manager's approach to climate-related risks include:

- An investment manager requests a physical climate risk assessment as part of the asset acquisition's due diligence process.
- An asset manager working for a pension fund supports carbon transition or physical climate risk capital investment at an aging asset with a long-term hold period to remain competitive with comparable buildings in the area.
- An asset manager sets a modest portfolio carbon transition strategy due to current capital scarcity, short-term policy uncertainty, and a short-term hold period.
- An investment manager cautions against carbon transition or physical climate risk capital investment in an asset that will be disposed of in the short term due to an insufficient value premium.
- An asset manager recommends capital investment for the introduction of cooling systems at a building to protect tenants from extreme heat events and in anticipation of future regulations (e.g., tenant right to cooling).

KEY TAKE-AWAY

Asset and investment managers need to take action to adapt to and mitigate climate-related risks, considering a range of asset- and portfolio-level factors.

FINANCIALS

Investment Strategy

Climate-related risk considerations for apartment buildings differ by investment type and across investment life cycle stages.

		INVESTMENT TYPES	
		Core	Value-Add
INVESTMENT LIFE CYCLES	Acquisition	Buildings that... • are energy efficient with lower energy intensity performance • have limited exposure to climate-related physical risks • require minimal capital investment to mitigate transition and physical risk	Buildings that... • are less energy efficient but have clear opportunities to improve performance • offer the opportunity to unlock unrealized potential through targeted capital investment in equipment upgrades
	Asset Management	Buildings that... • carbon transition plans and physical risk assessments help drive (<i>minor</i>) capital investment • carbon reduction investments are phased and strategic • generally prepared for key physical risks (flooding, extreme heat)	Buildings that... • carbon transition plans and physical risk assessments help drive (<i>more significant</i>) capital investment • carbon reduction investments are phased and strategic • still preparing for key physical risks (flooding, extreme heat)
	Disposition	Buildings requiring only... • low-cost improvements to protect asset value	Buildings requiring only... • higher cost improvements to protect asset values

NOTES: (i) Table is indicative only; (ii) Core identifies the desired state for assets, while Value-Add identifies the likely state for assets; (iii) Assets may include different attributes from each column, depending on the asset.


KEY TAKE-AWAY

Climate-related risks for apartment assets vary by investment strategy and life cycle stage, influencing how risks and opportunities are identified and managed. Core assets generally require limited, incremental investment to maintain resilience and performance, while value-add assets present greater exposure but offer opportunities to enhance value through targeted capital investment and upgrades.

Total Returns

Climate-related risks may impact income, capital and total returns for commercial real estate companies in a number of ways:³

Figure 3 Climate-Related Risks & Commercial Real Estate Companies



Additional details on Net Operating Income and Capital Expenditures are provided in the following sections.

³ Adapted from source: Recommendations of the TCFD: Final Report <https://assets.bbhub.io/company/sites/60/2021/10/FINAL-2017-TCFD-Report.pdf>

Net Operating Income

Climate-related risk factors have a potential impact on tenant choices, income, and expenses, which have an impact on the property's yearly cash flow generation.

		PHYSICAL CLIMATE RISK		TRANSITION RISK	
		Potential Impact	Value	Potential Impact	Value
INCOME/CASH FLOW					
Gross revenue	Decreased rents due to liveability issues or vacancies following an extreme weather event.	Decrease		Increased revenues from positive leasing outcomes linked to low/zero carbon or resilient performance.	Increase
	Decreased rents due to vacancies arising from tenant dissatisfaction.	Decrease		Decreased revenues from negative leasing outcomes linked to low/zero carbon or resilient performance.	Decrease
	Increased rents due to the installation of new cooling capacity.	Increase			
Other revenue	N/A	–		Additional income from electric vehicle charging stations.	Increase
Vacancy & Credit loss	N/A	–		N/A	–
EXPENSES					
Utilities	Increased costs for landlord from rising temperatures and heat events (if electricity is included in rent).	Decrease		Decreased costs for landlord from energy efficiency (if electricity/gas is included in rent).	Increase
	Increased costs for tenants from rising temperatures and heat events (if electricity is not included in rent).			Decreased costs for tenants from energy efficiency (if electricity/gas is not included in rent).	
Repairs & Maintenance	Increased costs for repairs due to weather-related damage.	Decrease		Increased maintenance costs if equipment replacement is deferred.	Decrease
Insurance	Increased premiums in high-risk zones, policy non-renewals.	Decrease		Increased premiums for higher carbon assets as insurers incorporate more granular climate and building-performance indicators into risk pricing.	Decrease
Real Estate Taxes	Increased property taxes in high-risk zones/areas, investing heavily in infrastructure upgrades (e.g., flood protection).	Decrease		Stringent carbon emission thresholds may hinder favourable assessment.	Decrease
Potential Fines	N/A	–		Increased costs because of building performance standard fines (for high carbon-emitting assets).	Decrease
CAPITAL EXPENDITURES					
CapEx	May need to allocate funds for climate adaptation upgrades to protect against physical climate risks (see next page).	Increase/ Decrease		May need to allocate funds for electrification and energy/carbon emission reduction measures to meet regulatory/investor requirements (see next page)	Increase/ Decrease

NOTES: **Value Increase:** factors that create a potential upside in value (decreases in expenses or increases in revenue). **Value Decrease:** factors that can push the overall asset value downwards (increases in expenses or decreases in revenue).

Capital Expenditures (CapEx)

Physical and transition risks impact energy supply and building systems and require proactive CapEx measures to mitigate them.

PHYSICAL RISKS	TRANSITION RISKS	POTENTIAL OUTCOMES	Pro-Active CapEx Measures to Consider
ENERGY SUPPLY			
Flood Extreme Heat (chronic - more hotter days) Windstorm	Grid capacity constraints Alignment with codes and regulations	Increased risk of power outages Increased demand for electrical capacity, utility limitations	Pursue infrastructure upgrades from your local distribution company to support building electrification. Implement or upgrade emergency power systems to maintain critical operations during electricity outages. Implement onsite renewable energy systems (e.g., Building Integrated PV solar) to realize cost savings and improve redundancy.
HEATING, COOLING AND VENTILATION SYSTEMS			
Extreme heat (acute and chronic) Wildfire	Technology obsolescence Alignment with codes and regulations	Inadequate or non-existent cooling capacity Outdated carbon-intensive HVAC units Poor indoor air quality, increased maintenance	Implement building electrical and cooling system upgrades. Implement electrification for heating (e.g., heat pumps) when HVAC equipment reaches end-of-life. Implement small backup natural gas boilers, in conjunction with electrification, to maintain redundancy for heating. Implement enhanced filtration systems with pressurization and monitoring capabilities. Review exhaust efficiency and emergency damper control to limit smoke infiltration.
ENVELOPE, SITE AND LANDSCAPING			
Flooding Increased Precipitation (chronic) Windstorm	Physical upgrade constraints Structural modification limitations Alignment with codes and regulations	Accelerated façade deterioration and thermal failure of envelope Stressed drainage systems and waterproofing beyond design specifications Increased freeze-thaw cycles, snow loading	Flood-proof/elevate critical infrastructure if possible. Upsize stormwater infrastructure, reinforce foundations. Ensure robust sealing of the building envelope to prevent water intrusion. Retrofit roof-to-wall connections with hurricane ties. Reinforce roof slabs to bear heavier snow loads. Enhance thermal insulation, improve air sealing.

KEY TAKE-AWAY


The capital costs and returns on investment for the above measures will vary widely. The challenge for apartment asset and investment managers is to carefully consider the risks and cost-benefits of CapEx mitigation measures to protect or enhance the asset's value.

Asset Value

Asset values in the market are influenced by what investors, owners and appraisers collectively believe about an asset's ability to generate future income, while considering the potential risks involved.

Climate-related risk considerations already factor into the market value of assets.

Figure 4 Climate-Related Risks & Asset Values



NOTE: 1) Climate-related risks may impact discount and terminal cap rates for apartment buildings, which would impact valuations.

Pricing climate-related risks, and incorporating them into appraisals, remains challenging due to evolving standards, the availability and comparability of data, and inconsistent views among investors, owners and appraisers.

This is likely to change over time, so prudent asset and investment managers should consider the climate-related risks that may potentially have an impact on the value of the assets they manage.

KEY TAKE-AWAY


Although climate-related risks are difficult to price consistently due to evolving standards and data constraints, they are increasingly influencing asset valuations through assumptions embedded in income, risk, and exit pricing.

TECHNOLOGY & OPERATIONS

Transition Risk – Carbon Transition Plans

A Carbon Transition Plan (CTP) focuses on finding effective ways to manage energy use and emissions within an owner's control and on developing a feasible plan to reduce them cost-effectively over time. The following stages apply.

Figure 5 Summary of Carbon Transition Plan Process⁴




⁴ Source: Adapted from CAGBC Carbon Transition Planning Guide

Transition Risk – Carbon Transition Plans

Energy and emission reduction measures from the Carbon Transition Plan (CTP) are typically implemented in a prioritized sequence based on a range of considerations, as outlined below.

Figure 6 Energy & Emission Reduction Measure Sequencing



NOTES:

- ^{*} Conduct a thorough investigation on loads during unoccupied hours to improve energy efficiency and reduce load.
- ^{**} Evaluate the feasibility of ventilation heat recovery from exhaust. Innovative designs using the cooling loop for heat recovery have proven to be effective in reducing peak heating load requirements.
- ^{***} Engage local utility provider early to resolve possible challenges. Consider retaining small natural gas boiler systems for redundancy purposes.

KEY TAKE-AWAY


By prioritizing carbon-emission reduction measures and considering equipment life cycles, asset management teams can optimize capital allocation, operating cost savings, and emission reductions. Electrification of equipment at end-of-life represents the most significant opportunity to reduce emissions and transition risk – and is critically important given that regulatory and market forces are likely to increase transition risk over time.

Transition Risk – Balance Priorities: Case Study 1

Developing the business case to reduce emissions (and manage transition risks) involves analyzing the effects of energy/emissions reductions, cost increases and grid changes over time. These effects are often intertwined and sometimes in conflict, and need to be balanced when making decisions.

The case study below illustrates this challenge – based on a 700,000 sq. ft., ~800-unit apartment building located in Ontario, built in the early 2000s. Space heating of tenant units is by in-suite electric resistance heating units. Domestic hot water and corridor space heating is by natural gas boilers. Space cooling of tenant units is by in-suite wall-mounted air conditioning units.

Figure 7 Comparison of Emission Reduction Potential & Estimated Capital Cost Increase



ID	Measure Name	ID	Measure Name
C1	Lighting Controls with Occupancy Sensors	L1	Replace Existing Fixtures with LED Fixtures with Ballasts
E1	Install Revolving Door on Entry Vestibule	M3	Replace Natural Gas Corridor Heating Boiler with Electric Air Source Heat Pump with Electric Backup
M1	Replace Natural Gas Domestic Hot Water Heater with Electric Air Source Heat Pump	E4	Add Energy Efficient Windows
M2	Perform Air Balancing	M4	Packaged Terminal Air Conditioning Units Replacement with New Packaged Terminal Heat Pump Units
E2	Upgrade Roof Assembly with Higher-Performance Insulation		
E3	Conduct Thermal Imaging Assessment and Minor Repairs		

Case Study 1 - Observations

Comparison of Emission Reduction Potential & Estimated Capital Cost Increase

Observations related to Case Study 1:



Emissions: The green shaded bars above illustrate the carbon-reduction potential of the respective measures identified. 30% to 70% carbon emission savings are projected for measures M1 and M3 by replacing the gas water heaters with electric alternatives.



Costs: Measures M1 and M3 also require up to \$3M capital investment, as the overlaid, dotted bars show.



Grid: Switching from gas to electricity when implementing measures M1 and M3, will not only increase electricity use/reduce gas use but also impact utility costs. There may be an increase in overall utility costs in regions where electricity costs are significantly more expensive than gas. Improved energy efficiency can help offset the wide fluctuations in natural gas costs and should also be considered.



Time: The recommendation is to phase the implementation of measures M1 and M3 over 5 years – to keep capital expenditures reasonable year over year. Measures should be aligned with equipment end-of-life.



Regulations: It is important to consider the thresholds and compliance timelines associated with emerging building emission performance standards (e.g., Toronto) when developing decarbonization capital plans.

KEY TAKE-AWAY


Developing a credible emissions-reduction business case requires balancing carbon-reduction potential with capital costs, energy price impacts, and timing considerations. While electrification measures can deliver meaningful emissions reductions, they may increase electricity costs and require significant upfront investment, underscoring the importance of phased implementation aligned with equipment life cycles. Careful analysis of these trade-offs over the investment horizon is essential to effectively manage transition risks and support informed capital planning.

Transition Risk – Regional Electricity Grids

A building's carbon reduction strategy is informed by the emissions of its utility grid. As asset managers or investors consider fuel-switching solutions, there is interest in understanding how the shift to electrification will impact the building's emissions profile over time. The graph below illustrates how the electricity grids are projected to decrease emissions over the next 50 years in the different provinces/territories across Canada.

Figure 8

Projected Electricity Grid Emissions Intensity (2025 – 2050)⁵



Why does it matter if your building is in a low/medium/high carbon grid?

As the graph above illustrates, significant emission reductions are expected in the regions with electricity grids that are currently considered medium-/high-carbon emitters. In these regions electrifying now yields more modest results, where on-site renewables and more efficient technologies, such as geo-exchange, may be considered. In low-carbon grids, early electrifying now eliminates the majority of building carbon emissions from heating and hot water systems, while reducing utility costs over the long term.

⁵ Source: Government of Canada's Greenhouse Gas Emissions Projections <https://data-donnees.az.ec.gc.ca/data/substances/monitor/canada-s-greenhouse-gas-emissions-projections/>

KEY TAKE-AWAY

In low-carbon grid regions, early electrification offers immediate environmental benefits, regulatory compliance, and potential cost savings through strategic implementation – making it a clear strategic advantage with minimal downside risk. In high-carbon grid regions, early electrification offers long-term emission benefits but requires careful evaluation of short-term financial impacts and risks associated with grid carbon emission reduction timelines.

Transition Risk – Electricity Grids: Case Study 2

The case study presented below aims to shed further light on how the interlinked aspects of emissions and operating costs are impacted in the different low/medium/high carbon electricity grids. The case study assumes that heating equipment is at end-of-life today, triggering an immediate investment decision.

The following four carbon transition scenarios are compared across a 25-year timeline: The analysis assumes that carbon pricing will be reintroduced in some form beyond 2035, in alignment with the trend of building performance standards (BPS) and regulations globally.



KEY TAKE-AWAY

In all three electricity grids (low, medium and high carbon), total operating costs over the 25-year time horizon are minimized by implementing electrification and energy efficiency measures now (Scenario 4).



NOTE: This case study considers operating costs and GHG emissions only; capital equipment and financing costs are important additional considerations for evaluating the scenarios listed.

ONTARIO (LOW CARBON GRID) – EMISSIONS & OPEX COSTS

In Ontario, the decision to electrify heating systems presents compelling immediate carbon emission reduction benefits that strongly favor early action. Electrification can eliminate over 90% of a building’s total emissions from space heating and domestic hot water systems, delivering substantial decarbonization impact from day one. It may also help building owners avoid potential Building Performance Standard (BPS) fines in major markets like Toronto, where regulatory frameworks are increasingly mandating carbon emission reductions.

Teams may also consider the “dual-fuel” approach (balancing electricity/natural gas use) to minimize immediate operational cost increases while still offering some transition risk mitigation and also providing peace of mind to owners by having redundant systems in place.

Regulation: Toronto is developing a building emissions performance standard, which will include apartment buildings. It is important to consider the thresholds and compliance timelines associated with standards like these when developing capital plans. Deferring action can expose assets to compressed compliance timelines and higher future retrofit costs, as regulatory requirements and market expectations are increasingly focused on improved building performance.





NOTE: Ontario utility costs are assumed at \$0.12/kWh for electricity and \$0.03/ekWh for gas. Natural gas carbon cost is assumed at \$300/ton starting in 2035 with 2% annual inflation. The analysis is based on a 405,000 sq. ft. building and assumes electrification investments of \$4M, energy efficiency measures at \$200K, and business-as-usual equipment replacement at \$1.5M, reflecting the significantly higher upfront capital required for fuel-switching compared to efficiency improvements or like-for-like replacements.

ALBERTA (MID-CARBON GRID) - EMISSIONS & OPEX COSTS

As the Alberta electricity grid has already undergone significant carbon emission reductions, the decision to electrify heating systems still presents compelling immediate benefits that strongly favor early action. This benefit will grow significantly as the grid is projected to aggressively reduce more carbon emissions over the next five years.

Electrification requires high upfront capital and will lead to short-term increase in operating cost. Aligning the investment with equipment end-of-life (EOL) provides the most financially prudent decarbonization pathway. Delaying energy/emission reduction action may expose assets to financial penalties through emerging Building Performance Standards.

Regulation: Alberta currently doesn't have a province-wide building performance standard for existing apartment buildings. However, voluntary benchmarking and disclosure programs in major cities such as Calgary and Edmonton, along with growing market expectations, can act as early indicators of future regulatory requirements. Waiting for mandatory compliance requirements to be finalized may increase the likelihood of stranded assets.



NOTE: Alberta utility costs are assumed at \$0.15/kWh for electricity and \$0.02/ekWh for gas. Natural gas carbon cost is assumed at \$300/ton starting in 2035 with 2% annual inflation. The analysis is based on a 405,000 sq. ft. building and assumes electrification investments of \$4M, energy efficiency measures at \$200K, and business-as-usual equipment replacement at \$1.5M, reflecting the significantly higher upfront capital required for fuel-switching compared to efficiency improvements or like-for-like replacements.

SASKATCHEWAN (HIGH CARBON GRID) - EMISSIONS & OPEX COSTS

In high-carbon electricity grids like Saskatchewan, the decision to electrify heating systems presents a complex strategic challenge. While immediate electrification with some technologies may result in higher emissions in the near term (until 2030), analysis of longer-term cumulative emissions associated with maintaining gas systems demonstrates that early electrification delivers higher total emission reduction over the equipment life cycle.

The success of early electrification is heavily reliant on the grid’s carbon emission reductions proceeding at projected timelines. Any delays in provincial clean energy deployment could undermine the anticipated carbon emission reductions at the site level and leave buildings with higher operating costs and limited environmental benefits. On the other hand, electrification minimizes transition risk and positions the asset well relative to buyer, investor and lender expectations, protecting asset value.

Regulation: Formal building performance requirements for existing apartment buildings in Saskatchewan remain limited. Waiting until the regulatory requirements are fully defined can leave buildings outdated, less competitive, and less attractive to investors and lenders.

Figure 13

Emission Reduction Pathways in Saskatchewan





Figure 14

OpEx Cost Pathways in Saskatchewan



NOTE: Saskatchewan utility costs are assumed at \$0.16/kWh for electricity and \$0.02/ekWh for gas. Natural gas carbon cost is assumed at \$300/ton starting in 2035 with 2% annual inflation. The analysis is based on a 405,000 sq. ft. building and assumes electrification investments of \$4M, energy efficiency measures at \$200K, and business-as-usual equipment replacement at \$1.5M, reflecting the significantly higher upfront capital required for fuel-switching compared to efficiency improvements or like-for-like replacements.

Transition Risk – Break-Even Analysis: Case Study 3

This case study provides a simplified break-even analysis for a ~450,000 sq. ft./ ~300 unit apartment building located in Ontario, built in the mid-1970s. The break-even analysis considers the following pathways:

- **Business-as-Usual** replaces equipment as needed with equivalent, standard replacements as per the capital plan, no optimization of existing systems or any consideration for low-carbon alternatives.
- **Carbon Transition** incorporates low carbon measures based on maximizing energy efficiency, utilizing heat recovery and replacement of equipment with low carbon alternatives at end of life.

The case study utilizes market construed estimates and assumptions for the key financial metrics of the asset including: vacancy, market rents, and cap rates. Regulated building emission performance standard requirements are not considered, given that they are not yet in place. The analysis seeks to focus only on the required shifts in market net income or the capitalization rate (yield) in order to ‘break-even’.

The break-even analysis below identifies what is required for the carbon transition pathway to yield the same profitability as the business-as-usual pathway by estimating how much more market net income is required or how much the capitalization rate needs to shift. This provides a way in which to recognize the implications of the investment and consult with appropriate market professionals to determine, if capex investments were made, whether the rental uplift or capitalization rate adjustment could be achieved for the asset in the local market.


INPUTS		
Aspect	Parameter	Details
Asset Features	Asset class	MURB
	Size (GLA)	~450,000 sq. ft.
	Market	Ontario
	Date of Construction	Mid 1970s
Capitalization Approach	Capitalization Rate	6.00%
	Baseline Asset Value	\$152M
	Market Net Income	\$6.5M

INTERVENTIONS		
Scenario	CapEX	CapEX Differential
Business-as-Usual Pathway	\$12M	Baseline
Carbon Transition Pathway	\$15.2M	+\$3.2M

NOTES:

- 1) Example is illustrative only.
- 2) The ability to achieve the margins need to be tested in the individual markets to validate whether a rent increase may or may not be possible or adjustment to the capitalization rate may be feasible in the local market.
- 3) When building performance standards are introduced in this jurisdiction for apartment buildings, they could introduce penalties for non-compliance, which would limit the required rent increases or the cap rate compression needed to break even.

Break-even Requirements (Capitalization Approach)



KEY TAKE-AWAY

This high-level analysis serves to illustrate the concepts of a simplified break-even analysis, recognizing that the market of today is not the market of tomorrow.

Two examples of how an additional \$3.2M electrification investment could break even is for:


- (i) building revenues to increase by 2.1% (via rent increases or vacancy reduction) OR
- (ii) the exit cap rate to compress by 13 basis points.

Ultimately, decision makers need to anticipate potential future changes across key variables and perform detailed value-based modelling to examine time frames and opportunities to drive the best financial outcomes for the asset.

Transition Risk – Decision-Making

Taking a proactive approach to transition risks is important to protect the value of assets.

Decision points or triggers for developing or updating transition risk strategies may include the following.



KEY TAKE-AWAY

When a trigger event occurs, it presents an opportunity to protect or enhance the value of an asset, consistent with your investment strategy.


Physical Risk – Planning

Physical Risk Assessments (PRA) have become a best practice for asset and investment managers to evaluate and plan for climate-related risks for buildings or portfolios. The following stages apply:⁶

Figure 15 Summary of Physical Risk Assessment Process



Physical Risk Plans go beyond PRAs and are emerging as a best practice for higher-risk assets. They prioritize adaptation actions and are ideally integrated with capital plans.



- Area of properties located in 100-year flood zones, by property sector (SASB IF-RE-450a.1)
- Area of properties where finished floor elevation is above 100-year flood levels, by property sector
- % of portfolio with sufficient cooling capacity
- % of portfolio with completed physical climate risk assessments
- Physical risk score for asset/portfolio **
- Climate Value at Risk (CVaR), \$ ***

NOTES:

* Some KPIs listed are for internal use only.

**Varies widely across physical climate risk analytics providers, based on different (i) hazards included or excluded; (ii) data description and source(s); (iii) nature of model; (iv) inclusion of physical and financial property-level information; (v) government, municipal, and asset-level risk mitigation considerations; and (vi) scenario analyses, time, and baseline assumptions.

*** This metric is presented in the context of physical risk only and can vary across physical climate risk analytics providers based on the points above.

⁶ Adapted from source: ASTM E3429-24 Standard Guide for Property Resilience Assessments - <https://store.astm.org/e3429-24.html>

⁷ Source: REALPAC ESG Explainer – Physical Climate Risk Fundamentals


KEY TAKE-AWAY

Physical Risk Assessments are a best practice in commercial real estate, providing a structured and systematic approach to identifying and evaluating climate-related hazards and vulnerabilities across buildings and portfolios. The results of these assessments support the development of plans that include monitoring and reporting through defined KPIs that track exposure to physical climate risks.

Physical Risk – Extreme Weather Events

Extreme weather-related events are increasing across Canada, and the associated damage to assets is increasingly impacting property value. The image below highlights the 2024 insured catastrophic losses that occurred because of severe weather across Canada.⁸

Figure 16 Insured Catastrophic Losses Across Canada (2024)



Insured damage estimate increased from \$3.1 billion+ in 2023 to \$8.5 billion+ in 2024. The Intact Centre determined that the cost of extreme weather amounts to the following in catastrophic insurable losses:⁹



⁸ Adapted from source: <https://www.ibc.ca/news-insights/news/2024-shatters-record-for-costliest-year-for-severe-weather-related-losses-in-canadian-history-at-8-5-billion>

⁹ Source: https://www.intactcentreclimateadaptation.ca/wp-content/uploads/2023/10/UoW_IntactCentre_2023_CRM_Infographic.pdf


KEY TAKE-AWAY

Extreme weather events are becoming more frequent and severe across Canada, driving a sharp increase in insured catastrophic losses and materially impacting property values. The rise in insured and uninsured losses highlights the growing financial significance of physical climate risk for real estate assets.

Physical Risk – Decision-Making

Taking a proactive approach to physical risks is important to protect the value of assets.

Decision points or triggers for developing or updating physical risks strategies include the following:



KEY TAKE-AWAY

When a trigger event occurs, it presents an opportunity to protect or enhance the value of an asset, consistent with your investment strategy.

GLOSSARY OF TERMS

Adaptation: Adjusting or changing in response to new circumstances or challenges. In the context of climate change, adaptation involves taking action to manage the current and future impacts of changing environmental conditions.

Capitalization Rate (Cap Rate): A key financial metric used to evaluate commercial real estate investments, calculated by dividing a property's Net Operating Income (NOI) by its current market value or acquisition cost. Expressed as a percentage, cap rate represents the expected annual return on investment assuming an all-cash purchase. Higher cap rates typically indicate higher risk and potentially higher returns, while lower cap rates suggest lower risk and more stable investments. Cap rates are commonly used for property valuation, investment comparison, and market analysis across different asset classes and geographic markets.

Carbon Transition Plan: A strategic roadmap outlining how a real estate portfolio or individual asset will reduce greenhouse gas emissions and achieve low-carbon operations. The plan typically includes baseline measurements, reduction targets, decarbonization strategies (energy efficiency, fuel switching, renewables, sustainable practices), timelines, and progress monitoring.

Carbon Risk Real Estate Monitor (CRREM): A European research initiative and online tool that provides science-based carbon reduction pathways for commercial real estate portfolios. CRREM establishes decarbonization trajectories aligned with the Paris Climate Agreement's 1.5°C warming limit.

Decarbonization: In the context of buildings, this term refers to reducing or eliminating carbon dioxide emissions and other GHGs produced by a building.

Deep Retrofit: A comprehensive and extensive renovation or upgrade of a building's systems, equipment, and envelope with a focus on energy efficiency and decarbonization.

End-of-Life Equipment Replacement: The replacement of equipment or systems that have reached the end of their useful life, or are no longer efficient or effective, often with newer, more energy-efficient/low-carbon alternatives.

Energy Efficiency: The ratio between the useful output and the input energy. Increasing energy efficiency means using less input energy while achieving the same output.

Energy Performance: The measurement or assessment of a building's energy efficiency and other energy-related criteria, such as minimizing environmental impacts and costs. This performance is typically evaluated based on energy consumption or usage patterns.

Energy Use Intensity (EUI): The sum of all site energy (not source energy) consumed on-site (e.g., electricity, natural gas, district heat), including all process loads, divided by the building modelled floor area (i.e., kWh/m² or GJ/m²).

Exit Value: Worth or financial value of an asset or investment if it were to be sold.

Fossil Fuel Heating Systems: Heating systems that combust coal, oil, or gas to create heat.

Fuel Switching: The practice of changing the type of fuel used for energy generation or consumption, typically from fossil fuels to lower-carbon alternatives, such as electricity and biofuels.

Greenhouse Gas Intensity (GHGI): Carbon dioxide equivalents emitted per unit (of energy, product, material, etc.). This is typically expressed by unit of floor area in buildings (i.e., kgCO₂e/m²).

Heat Recovery: The process of capturing and reusing waste heat generated from processes or building systems to improve energy efficiency and reduce energy consumption.

Incremental Capital Cost (ICC): The capital cost for each measure or bundle relative to the associated business-as-usual (BAU) case. Typically, the capital costs do not account for financial incentives and rebates because these incentive and rebate amounts are variable, changing year over year and by location.

Life Cycle: In the context of buildings, this term refers to the full cycle of stages that a building goes through over the course of its life, ranging from conceptualization and design to construction, occupancy, and eventual deconstruction/demolition.

Life Cycle Assessment (LCA): A method to evaluate the environmental impacts of a product, process, or service throughout its entire life cycle, from raw material extraction to end-of-life. It assesses resource use, emissions, and waste at each stage, and quantifies environmental impacts directly attributable to a material, product, building, or piece of infrastructure throughout its life cycle.

Like-for-Like Replacement: A capital expenditure strategy where existing building systems or equipment are replaced with functionally equivalent items of similar specifications and performance, maintaining the status quo rather than upgrading.

Low Carbon Systems: Energy systems that produce fewer GHG emissions compared to conventional or high-carbon alternatives. These systems typically rely on low-carbon energy sources and have higher energy efficiency.

Mitigation: Reducing the severity or likelihood of an adverse outcome. In the context of climate change, mitigation involves taking action to lower greenhouse gas emissions, helping limit the severity of future climate impacts.

Net Present Value (NPV): A calculation made for each measure or bundle to assess whether it provides a positive return on the initial investment. The NPV calculation is the sum of all positive and negative cash flows for an investment over the analysis period. The NPV calculation discounts future cash flows to determine their equivalent present value according to the chosen discount rate. The NPV calculation includes the ICC, the difference in utility costs relative to the BAU building, and incremental replacement costs that would normally occur within the timeframe of analysis.

Net Operating Income (NOI): A property's annual income after deducting operating expenses but before debt service, taxes, and capital expenditures. Calculated as gross rental income minus vacancy and operating costs. Essential metric for property valuation, cap rate calculations, and CRE investment analysis.

Operational Carbon: Carbon emissions associated with energy use and the release of refrigerants during regular building operations.

Payback Period: The number of years it would take to break even on the initial investment through operating energy cost savings. This metric can either discount future cash flows by recognizing the time value of money or can be a simple payback looking at the initial investment over the first-year energy cost savings using current utility costs. The smaller the payback period, the better the investment.

Performance: In the context of buildings, refers to the measurement of a building or system in terms of energy efficiency, indoor environmental quality, occupant comfort, carbon emissions, and other relevant factors.

Rate of Return: The discount rate that would be required to set the net present value to zero over the analysis period. This is useful for estimating the profitability of investments.

Renewable Energy: A source of energy that is replenished through natural processes or by using sustainable management policies such that it is not depleted at current levels of consumption. Renewable energy generation systems, such as solar panels or wind turbines, can reduce a building's emissions from grid electricity and contribute to meeting the need for additional electrical power.

Retrofit: The process of upgrading a building with new materials, equipment, and controls. Building retrofits can improve energy efficiency and reduce operational carbon emissions.

Rooftop Solar: A renewable energy technology that converts sunlight directly into electricity using semiconductor cells and is installed on rooftops to reduce energy costs, lower carbon emissions, and enhance property value. Can be owned, leased, or operated under power purchase agreements.

Total Return: A comprehensive investment performance measure combining income generated (rental income, dividends) and capital appreciation over a specified period, expressed as an annualized percentage. Provides complete picture of CRE investment performance for portfolio benchmarking and cross-asset comparisons.

TCFD: Task Force on Climate-Related Financial Disclosures - a G20 Financial Stability Board initiative launched in 2015 that created a widely used framework for climate-related financial disclosure, helping standardize and popularize the term "climate-related risks" (including physical and transition risks).

Zero Carbon Building: A highly energy-efficient building that produces on-site, or procures, carbon-free renewable energy or high-quality carbon offsets in an amount sufficient to offset the annual carbon emissions associated with building materials and operations.

Disclaimer

The information that may be contained herein has been obtained by or compiled by REALPAC from sources believed to be reliable, but no representation or warranty, express or implied, is made by REALPAC, its directors, officers, staff or any other person for whom REALPAC is legally responsible, as to its accuracy, completeness or correctness. The information provided in this publication is for informational purposes only. Opinions, estimates, conclusions or other information expressed or contained herein constitute REALPAC's judgment as of the publication date, are subject to change without notice, and are provided in good faith but without representation or warranty as aforesaid.

Neither REALPAC nor its directors, officers, or staff assume responsibility for the use of, effect of, or appropriateness of the language, wording, or standards contained in this publication or any typographical or printing errors or omissions. REALPAC, its directors, officers, staff or any other person for whom REALPAC is legally responsible assumes no liability for damage or loss arising from the use of information contained herein. REALPAC is not providing development, investment, environmental, legal, or tax advice. Readers are urged to consult their own professional advisors for further confirmation, information and advice.

Copyright

REALPAC is the owner of all copyright in this publication. All rights reserved. No part of this publication may be reproduced, transmitted or otherwise used in whole or in part in any form or by any means, without permission from the publisher. Further, no person shall use this publication, in whole or in part, in any form or by any means, to create any precedent for resale or license for remuneration.

